

ClinicalTrials.gov Search Results 03/09/2021

| | Title | Status | Study Results | Conditions | Interventions | Locations |
|----|---|--------------------|----------------------|--|--|---|
| 1 | A Study of Evaluating Dual Inhibitor of PAK4 and NAMPT ATG-019 in Advanced Solid Tumors or Non-Hodgkin's Lymphoma | Recruiting | No Results Available | <ul style="list-style-type: none"> •Solid Tumor, Non-Hodgkin's Lymphoma | <ul style="list-style-type: none"> •Drug: ATG-019 •Combination Product: ATG-019 + Niacin ER | <ul style="list-style-type: none"> •Kaohsiung Medical University Chung-Ho Memorial Hospital (KMUH), Kaohsiung, Taiwan •Kaohsiung Chang Gung Memorial Hospital (CGMHKS), Kaohsiung, Taiwan •China Medical University Hospital (CMUH), Taichang, Taiwan •National Cheng Kung University Hospital (NCKUH), Tainan, Taiwan •Tri-Service General Hospital (TSGH), Taipei, Taiwan |
| 2 | Metabolic Syndrome in Psoriasis and Psoriatic Arthritis and Correlation With Serum Omentin and Visfatin Levels | Completed | No Results Available | <ul style="list-style-type: none"> •Psoriasis Vulgaris •Psoriatic Arthritis •Metabolic Syndrome | <ul style="list-style-type: none"> •Diagnostic Test: omentin, visfatin | <ul style="list-style-type: none"> •Istanbul Medeniyet University, Department of dermatology, Istanbul, Turkey •Istanbul Medeniyet University, Istanbul, Turkey |
| 3 | Olive Oil and Nampt on Postprandial Inflammation and Atherosclerosis in the Setting of Metabolic Syndrome | Completed | No Results Available | <ul style="list-style-type: none"> •Metabolic Syndrome | <ul style="list-style-type: none"> •Dietary Supplement: Niacin •Dietary Supplement: Saturated meal •Dietary Supplement: Monounsaturated meal •Dietary Supplement: Polyunsaturated meal | <ul style="list-style-type: none"> •Instituto de la Grasa, CSIC, Seville, Spain |
| 4 | PAK4 and NAMPT in Patients With Solid Malignancies or NHL (PANAMA) | Recruiting | No Results Available | <ul style="list-style-type: none"> •Solid Tumors •NHL | <ul style="list-style-type: none"> •Drug: KPT-9274 •Drug: Niacin ER •Drug: Nivolumab | <ul style="list-style-type: none"> •UCLA Health, Los Angeles, California, United States •University of Colorado Cancer Center, Aurora, Colorado, United States •Georgetown University, Lombardi Comprehensive Cancer Center, Washington, District of Columbia, United States •Mayo Clinic Rochester, Rochester, Minnesota, United States •NYU-Laura & Isaac Perlmutter Cancer Center, New York, New York, United States •Vanderbilt-Ingram Cancer Center, Nashville, Tennessee, United States •MD Anderson Cancer Center, Houston, Texas, United States •Princess Margaret Hospital, Toronto, Ontario, Canada |
| 5 | Visfatin Levels Before and After Periodontal Treatment | Completed | No Results Available | <ul style="list-style-type: none"> •Periodontal Diseases | <ul style="list-style-type: none"> •Procedure: Non-surgical Periodontal Treatment. | |
| 6 | Serum Visfatin and Serum Vaspin in Patients With Hepatocellular Carcinoma on Top of Liver Cirrhosis | Not yet recruiting | No Results Available | <ul style="list-style-type: none"> •Hepatocellular Carcinoma | | |
| 7 | Leptin and Visfatin in Diabetic Patients With Periodontitis Before and After Periodontal Therapy | Completed | No Results Available | <ul style="list-style-type: none"> •Chronic Periodontitis •Type 2 Diabetes Mellitus | <ul style="list-style-type: none"> •Procedure: non-surgical periodontal therapy | <ul style="list-style-type: none"> •Faculty of oral and dental medicine, Cairo, Egypt |
| 8 | The Role of Visfatin in Obesity and Periodontal Disease | Completed | No Results Available | <ul style="list-style-type: none"> •Obesity •Periodontitis | <ul style="list-style-type: none"> •Procedure: Phase I Periodontal therapy •Dietary Supplement: Metabolic control | <ul style="list-style-type: none"> •Gazi University Faculty of Dentistry, Ankara, Turkey |
| 9 | Comparison of Perilipin, Leptin, Adipolipin, Adiponectin, Resistin, Visfatin, Estrone Levels Pre-post Omentectomy | Completed | No Results Available | <ul style="list-style-type: none"> •Gynecologic Cancer | <ul style="list-style-type: none"> •Other: Preoperative level | <ul style="list-style-type: none"> •Bakirkoy Dr Sadi Konuk Training and Research Hospital, #stanbul, Turkey |
| 10 | Effect of Roux-en-Y Gastric Bypass Versus Laparoscopic Adjustable Gastric Band Operations on Resistin, Apelin and Visfatin Peptides | Completed | No Results Available | <ul style="list-style-type: none"> •Morbid Obesity | | <ul style="list-style-type: none"> •Istanbul University Cerrahpasa Medical Faculty, Istanbul, Turkey |

| | Title | Status | Study Results | Conditions | Interventions | Locations |
|----|--|------------------------|----------------------|--|---|--|
| 11 | The Role of Adipokines In Atrial Fibrillation | Recruiting | No Results Available | <ul style="list-style-type: none"> •Atrial Fibrillation •Adiposity •Adiponectin •Visceral Obesity •Hormone Disturbance | <ul style="list-style-type: none"> •Other: Blood sample | <ul style="list-style-type: none"> •LAIKO General Hospital, Athens, Greece, Athens, Greece |
| 12 | Long Term Vitamin D Therapy in HCV Treated Patients | Terminated | No Results Available | <ul style="list-style-type: none"> •Chronic Hepatitis C | <ul style="list-style-type: none"> •Drug: Vitamin D | <ul style="list-style-type: none"> •Tropical Medicine department, Bny swif university, Bny swif, Egypt •Medical biochemistry department, Cairo university, Cairo, Egypt |
| 13 | Study of Association of Salivary Adipokines With Prediabetes and Type 2 Diabetes Mellitus | Completed | No Results Available | <ul style="list-style-type: none"> •Type2 Diabetes Mellitus | <ul style="list-style-type: none"> •Other: No Intervention | |
| 14 | Adipose Secretory Function in Patients Before & After Laparoscopic Surgery | Completed | No Results Available | <ul style="list-style-type: none"> •Obesity | <ul style="list-style-type: none"> •Procedure: Cytokines assessed from fat tissue | <ul style="list-style-type: none"> •Vanderbilt University Medical Center, Nashville, Tennessee, United States |
| 15 | Adipocytokines, Gestational Diabetes Mellitus and Lipid Metabolism | Completed | No Results Available | <ul style="list-style-type: none"> •Gestational Diabetes Mellitus | <ul style="list-style-type: none"> •Other: Blood draw | <ul style="list-style-type: none"> •Medical University of Vienna, Vienna, Austria |
| 16 | Determination of Adipocytokine in Synovial Fluid of Osteoarthritis Patients | Unknown status | No Results Available | <ul style="list-style-type: none"> •Osteoarthritis | <ul style="list-style-type: none"> •Other: arthrocentesis •Other: ultrasonography of the knee | <ul style="list-style-type: none"> •Hospital Parc Tauli Sabadell, Sabadell, Barcelona, Spain |
| 17 | Insulin Sensitivity, Irisin and Adipokines as Outcome Parameters in Patients Undergoing Cardiac Surgery | Completed | No Results Available | <ul style="list-style-type: none"> •Insulin Resistance •Diabetes Mellitus Type 2 •Other Functional Disturbances Following Cardiac Surgery | <ul style="list-style-type: none"> •Procedure: Cardiac surgery | <ul style="list-style-type: none"> •Andrea Kopp Lugli, Basel, BS, Switzerland |
| 18 | IRAPe, Irisin and IL-34 in Patients With Type 2 Diabetes | Completed | No Results Available | <ul style="list-style-type: none"> •Type2 Diabetes Mellitus | <ul style="list-style-type: none"> •Diagnostic Test: Blood sample | <ul style="list-style-type: none"> •Tanta University, Tanta, El-Gharbia, Egypt |
| 19 | Diurnal Variability in the Regulation of Beta-cell Function and Insulin Sensitivity in Overweight People | Completed | No Results Available | <ul style="list-style-type: none"> •Overweight | | <ul style="list-style-type: none"> •Washington University School of Medicine, St. Louis, Missouri, United States |
| 20 | Metabolic Effects of Furosemide +HSS in Refractory Ascites | Completed | No Results Available | <ul style="list-style-type: none"> •Ascites •Cirrhosis | <ul style="list-style-type: none"> •Drug: intravenous furosemide •Drug: Hypertonic saline solutions •Procedure: Seriated paracentesis | <ul style="list-style-type: none"> •Antonino Tuttolomondo, Palermo, Italy •Internal Medicine Ward of Palermo University Hospital, Palermo, Italy •Internal Medicine Ward, University of Palermo, Palermo, Italy |
| 21 | Response of NAFLD Patients to Mediterranean Diet | Completed | No Results Available | <ul style="list-style-type: none"> •NAFLD •Steatosis of Liver | <ul style="list-style-type: none"> •Other: Mediterranean Diet | |
| 22 | Effect of Spironolactone and Vitamin E in Patients With Nonalcoholic Fatty Liver Disease | Completed | No Results Available | <ul style="list-style-type: none"> •Fatty Liver •Steatohepatitis | <ul style="list-style-type: none"> •Drug: Spironolactone/Vitamin E | <ul style="list-style-type: none"> •Second Medical Clinic, Medical School, Aristotle University of Thessaloniki, Ippokration Hospital, Thessaloniki, Greece |
| 23 | Active Videogames Against Obesity in Children | Recruiting | No Results Available | <ul style="list-style-type: none"> •Childhood Obesity •Physical Activity •Sedentary Lifestyle •Body Fat | <ul style="list-style-type: none"> •Other: active video-games | <ul style="list-style-type: none"> •José Antonio Casajús Mallén, Zaragoza, Spain |
| 24 | Effect of Pioglitazone on TIMP-3 and TACE in Type 2 Diabetes | Completed | Has Results | <ul style="list-style-type: none"> •Type 2 Diabetes | <ul style="list-style-type: none"> •Drug: Pioglitazone •Drug: Placebo | <ul style="list-style-type: none"> •Bartter Research Unit , ALM VA Hospital, San Antonio, Texas, United States |
| 25 | Effect of Vitamin D on Metabolic Parameters in Patients With the Metabolic Syndrome | Unknown status | No Results Available | <ul style="list-style-type: none"> •Metabolic Syndrome | <ul style="list-style-type: none"> •Drug: Vitamin D3 •Behavioral: Lifestyle advice | <ul style="list-style-type: none"> •Outpatient Lipid Clinic, University Hospital of Ioannina, Ioannina, Greece |
| 26 | Adipose Tissue and Inflammation in Coronary Heart Disease | Active, not recruiting | No Results Available | <ul style="list-style-type: none"> •Coronary Heart Disease | | <ul style="list-style-type: none"> •Svein Solheim, Oslo, Norway |
| 27 | Exercise Training After an Acute Blood Clot | Completed | No Results Available | <ul style="list-style-type: none"> •VTE | <ul style="list-style-type: none"> •Behavioral: VTE REHABILITATION: High-Caloric Expenditure Exercise Training (HCE) and The Dietary Behavioral Weight Loss Intervention (BWL) | <ul style="list-style-type: none"> •Flether Allen Healthcare, Burlington, Vermont, United States |

| | Title | Status | Study Results | Conditions | Interventions | Locations |
|----|---|--------------------|----------------------|--|--|--|
| 28 | Metformin Effects on Oxidative Stress Parameters in Newly Diagnosed Type 2 Diabetes Patients | Completed | No Results Available | •Type 2 Diabetes Mellitus | •Drug: Metformin | •Tehran University of Medical Sciences, Tehran, Iran, Islamic Republic of |
| 29 | Inofolic NRT and the Metabolic Syndrome | Completed | No Results Available | •Metabolic Syndrome •Postmenopausal Disorder | •Dietary Supplement: Inofolic NRT | •University Hospital, Messina, Italy |
| 30 | The Effects of Different Lipid Emulsions on the Adipokines in Critically Ill Patients With Sepsis | Completed | No Results Available | •Sepsis | •Other: Olive oil-based intravenous fat emulsions •Other: Soybean-based intravenous fat emulsions | •Karadeniz Technical University Medical Faculty Department of Anesthesiology and Reanimation, Trabzon, Turkey |
| 31 | Bone Microarchitecture in Young Cystic Fibrosis Patients | Completed | No Results Available | •Cystic Fibrosis | •Other: scan examination HR-pQCT | •Hôpital Femme-Mère-Enfant, Bron, France |
| 32 | Safety and Efficacy of OT-82 in Participants With Relapsed or Refractory Lymphoma | Recruiting | No Results Available | •Lymphoma •Lymphoma, Non-Hodgkin •Lymphoma, B-Cell •Lymphoma, T-Cell •Lymphoma, Follicular •Lymphoma, Peripheral T-Cell •Lymphoma, Hodgkin | •Drug: OT-82 Dose Escalation •Drug: OT-82 Dose Expansion | •University of Alabama at Birmingham, Birmingham, Alabama, United States •City of Hope National Medical Center, Duarte, California, United States •Sylvester Comprehensive Cancer Center, Miami, Florida, United States •University of Michigan, Ann Arbor, Michigan, United States •Roswell Park Cancer Institute, Buffalo, New York, United States •University Hospitals Seidman Cancer Center, Cleveland, Ohio, United States •Stephenson Cancer Center, Oklahoma City, Oklahoma, United States •Thomas Jefferson University Hospital, Philadelphia, Pennsylvania, United States |
| 33 | Effect of Endurance and Endurance-Strength Training on Inflammatory Markers in Women With Abdominal Obesity | Completed | No Results Available | •Obesity | •Behavioral: Endurance training •Behavioral: Endurance-strength training | •Department of Education and Obesity Treatment and Metabolic Disorders; Poznan University of Medical Sciences, Poznan, Poland |
| 34 | Effect of Hypocaloric Diet and Exercise in Obese Women Who Are Subjected to IVF Cycle | Completed | No Results Available | •Obesity | •Behavioral: Diet and exercise | •Hospital de la Santa Creu i Sant Pau, Barcelona, Spain |
| 35 | Acupuncture in the Regulation of Dai Meridian for the Metabolism of Visceral Adipose Tissue in Abdominal Obese Patients | Completed | No Results Available | •Abdominal Obesity •Metabolic Syndrome | •Other: Acupuncture •Other: Healthy education | •Department of Acupuncture and Moxibustion, Dongfang Hospital, Beijing University of Chinese Medicine, Beijing, Beijing, China |
| 36 | Metabolic Surgery for Steato-Hepatitis | Recruiting | No Results Available | •Non-alcoholic Fatty Liver Disease (NAFLD) •Non-Alcoholic Steato-Hepatitis (NASH) | •Procedure: Metabolic/Bariatric surgery •Other: Lifestyle and Diet | •King's College London, London, United Kingdom |
| 37 | The Effect of 12-week Circuit Training on Insulin Sensitivity and Endothelial Function in Women With Insulin Resistance | Recruiting | No Results Available | •Insulin Resistance | •Behavioral: Circuit training (combination of strength and endurance exercises) | •Poznan University of Physical Education, Pozna#, Poland |
| 38 | Effect of Gastric Bypass Surgery on Energy Metabolism | Completed | No Results Available | •Obesity | •Procedure: Roux-en-Y gastric bypass surgery •Dietary Supplement: low calorie diet (1,000 kcal/day) | •Department of Human Nutrition, Faculty of Life Sciences, University of Copenhagen, Copenhagen, Denmark •Hvidovre Hospital, Copenhagen, Denmark |
| 39 | Human-derived Human Milk Fortifiers (H2MF), Gut Microbiota and Oxidative Stress in Premature Infants | Completed | No Results Available | •Very Low Birth Weight Baby •Premature Birth •Microbial Colonization •Oxidative Stress | •Dietary Supplement: H2MF | •Health Sciences Centre, Winnipeg, Manitoba, Canada |
| 40 | Paleo Diet 8wk Feasibility in Overweight Adults | Completed | No Results Available | •Overweight and Obesity | •Other: Diet | •Chatham University, Pittsburgh, Pennsylvania, United States •University of Houston, Houston, Texas, United States |
| 41 | Sonodynamic Therapy in the Treatment of Perivascular Adipose Tissue on Patients With PAD and Claudication | Not yet recruiting | No Results Available | •Peripheral Arterial Disease | •Combination Product: Sonodynamic therapy(SDT) | |

| | Title | Status | Study Results | Conditions | Interventions | Locations |
|----|---|----------------|----------------------|---|--|--|
| 42 | Effects of Genistein in Postmenopausal Women With Metabolic Syndrome | Completed | No Results Available | •Metabolic Syndrome | •Dietary Supplement: Genistein •Dietary Supplement: Placebo | •University of Magnia Graecia, Catanzaro, Italy •University of Messina, Messina, Italy •University of Palermo, Palermo, Italy |
| 43 | Effect of Genistein in Women With Metabolic Syndrome | Completed | No Results Available | •Metabolic Syndrome | •Dietary Supplement: genistein •Dietary Supplement: placebo | •University of Magnia Graecia, Catanzaro, Italy •Azienda Policlinico Universitario, G. Martino, Messina, Italy •University of Palermo, Palermo, Italy |
| 44 | Family Intervention for Obese Children Using Portion Control Strategy for Weight Control | Completed | No Results Available | •Obesity | •Other: Nutrition counseling + portion control tool •Other: Nutrition counseling | •Alberta Children's Hospital, Calgary, Alberta, Canada |
| 45 | Efficacy of Pioglitazone on Myocardial Function in Patients Undergoing Coronary Stent Implantation. | Completed | No Results Available | •Oxidative Stress •Coronary Artery Disease •Type 2 Diabetes | •Drug: Pioglitazone •Drug: Placebo | •Frankfurt, Hessen, Germany •Kassel, Hessen, Germany •Wiesbaden, Hessen, Germany •Wuppertal, Nordrhein-Westfalen, Germany •Mainz, Rheinland-Pfalz, Germany •Jena, Thüringen, Germany •Hamburg, Germany |
| 46 | Healthy Effects of an Innovative Probiotic Pasta | Completed | No Results Available | •OBESITY •INFLAMMATION •DYSLIPIDEMIA •CONSTIPATION | •Dietary Supplement: whole grain pasta | •University of Parma - Department of Food Sciences, Parma, PR, Italy •University of Parma, Parma, Italy |
| 47 | Dietary Fatty Acids as Complementary Therapy in Type 2 Diabetes Mellitus | Completed | No Results Available | •Type 2 Diabetes Mellitus | •Drug: Rosiglitazone (Avandia) OR other diabetes medication currently prescribed to participant •Dietary Supplement: conjugated linoleic acid (CLA) | •The Ohio State University Clinical Research Center (Davis Medical Research Center), Columbus, Ohio, United States |
| 48 | Evaluation of a New Orange-Based Beverage Enriched With Polyphenols in Adult Humans | Completed | No Results Available | •Overweight •Obesity | •Other: Orange juice based beverage enriched in polyphenols | •Department of Biochemistry and Molecular Biology II, Institute of Nutrition and Food Technology, Center for Biomedical Research, University of Granada, Spain |
| 49 | Metabolic and Muscular Adaptations During Inactivity in 3 Days of Bed-rest | Completed | No Results Available | •Muscle Atrophy •Insulin Sensitivity | •Other: Bed Rest •Other: Reconditioning | •David Greenfield Human Physiology Laboratories, Nottingham, Notts, United Kingdom |
| 50 | Effects of Lipoic Acid and Eicosapentaenoic Acid (EPA) in Human Obesity | Completed | No Results Available | •Obesity •Body Fat •Insulin Resistance | •Dietary Supplement: Double blind dietary intervention with EPA and lipoic acid | •Department of Nutrition, Food Science, Physiology and Toxicology. University of Navarra, Pamplona, Navarra, Spain |
| 51 | Whole Grain Polyphenol Bioavailability and Effects on Health | Completed | No Results Available | •Overweight | •Dietary Supplement: Whole grains | •Department of Food Science, Portici, Italy |
| 52 | Early High-volume Continuous Veno-venous Hemofiltration for Patients With Severe Acute Pancreatitis | Unknown status | No Results Available | •Acute Pancreatitis | •Device: AN69 hemofilter •Other: conventional treatments | •Xijing Hospital of Digestive Diseases, Xi'an, Shaanxi, China |
| 53 | Impact of Time-Restricted Eating on Metabolic and Neuroendocrine Homeostasis, Inflammation and Oxidative Stress in Metabolic Syndrome | Recruiting | No Results Available | •Metabolic Syndrome •Overweight or Obesity •PreDiabetes •Weight Loss •Quality of Life | •Behavioral: Time-Restricted Eating | •Nicolaus Copernicus University, Collegium Medicum Bydgoszcz, Bydgoszcz, Poland |
| 54 | The Effects of Dapagliflozin on HDL Particles Subtypes and Reverse Cholesterol Transport in Type 2 Diabetic Patients | Completed | No Results Available | •Type 2 Diabetes | •Drug: Dapagliflozin •Drug: Placebo | •Division of Metabolic Diseases, University Hospital of Padova, Padova, Italy |

| | Title | Status | Study Results | Conditions | Interventions | Locations |
|----|---|-----------|----------------------|--|---|--|
| 55 | Effect of Dietary Flavonoids on Intestinal Microbiota, Intestinal Inflammation and Metabolic Syndrome | Completed | No Results Available | <ul style="list-style-type: none"> •Metabolic Syndrome X •Inflammation | <ul style="list-style-type: none"> •Other: High Dietary Flavonoids •Other: Low Dietary Flavonoids | <ul style="list-style-type: none"> •Utah State University, Center for Human Nutrition Studies, Logan, Utah, United States |

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services